

Cementex eliminates the potential hazard of worker's placing their light source in their mouth by offering 1000V rated insulated MINI MAGLITE® flashlights.

- Ability to replace batteries
- Average lumens 140.0
- Adjustable light beams:
Wide Flood to Intense Spotlight



Flashlights

Specialty Tools

PN _____ DESC _____
 FLED-7I.....LED Mini Voltage Rated Flashlight 7"
 FLED-9I..... LED Voltage Rated Flashlight 9"

FL-O.....Micro Flashlight* with non-metallic case
 (Orange)
 *not MINI MAGLITE style (included in some kits)



FLED-7I



FL-O



FLED-9I

Measuring Tools



The use of Metal measuring tapes is one of the most common causes of Arc Flash and accidental contact with energized conductors. These Measuring Tools are 100% non-conductive eliminating that potential completely.

PN _____ DESC _____
 CTM-33.... 33' Fully Non-Conductive Fiberglass Measuring Tape
 FMS-6..... 6' Folding Measuring Stick

RATED
 1000 VAC / 1500 IEC
 Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

Inspection Mirrors

Specialty Tools



IM-325I-F

You can depend on Cementex 1000V Inspection mirrors--round, oval or rectangular--all made of high-quality glass.

PN _____ **DESC** _____

- IM-225I..... 2-1/4" Round Inspection Mirror
- IM-225I-MC..... 2-1/4" Round Replacement Mirror Cover
- IM-225I-RM..... 2-1/4" Round Replacement Mirror
- IM-325I..... 3-1/4" Round Inspection Mirror
- IM-325I-MC 3-1/4" Round Replacement Mirror Cover
- IM-325I-RM..... 3-1/4" Round Replacement Mirror
- IM-325I-F..... 3-1/4" Round Inspection Mirror with Flexible Handle

- IMO-2I..... 2" Oval Inspection Mirror
- IMO-2I-RM..... 2" Oval Replacement Mirror

- IMR-225I..... 2-1/4" Rectangular Inspection Mirror
- IMR-225I-MC... 2-1/4" Rectangular Replacement Mirror Cover
- IMR-225I-RM... 2-1/4" Rectangular Replacement Mirror

*****Mirrors now include Protective Cover*****
with the exception of the Oval Inspection Mirror



IM-325I

IMR-225I

Magnetic Retrieving Tools

This 18" flexible shaft tool has a strong magnetized tip able to pick up sockets not to mention nuts and screws which may fall inside a panel. With 5-pound pulling strength we know this will be invaluable in your tool box.



PN _____ **DESC** _____

- MRT-18... 18" Magnetic Retrieving Tool with 18" Flexible Wand

MRT-18

Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts
RATED 1000 VAC / 1500 VDC

Tubing Cutters

PN _____ DESC _____

TC-150....1-1/2" Capacity Tubing Cutter



Hack Saws

PN _____ DESC _____

HS15-170I...3-1/2" Cutting Depth Hack Saw
HS520-I....5-1/2" Cutting Depth Hack Saw



Scratch Awls

PN _____ DESC _____

SA-35I....3-1/2" Shank Cushion Grip Scratch Awl
SA-6IL....6" Shank Cushion Grip Scratch Awl



Hooks and Probes

PN _____ DESC _____

ISP-7.....Straight Pick
ICP-7.....Complex Pick
INP-7.....90 Degree Pick
IBP-7.....Hook Pick
HNP100-4....4Pc Hook and Probe Set



Cable Scoring Tools

Only Cementex has an insulated cable scoring plier--we have the tools you need to work safe!

PN _____ DESC _____
CRP900....9" Cable Scoring Plier




Fuse Pullers

All Cementex fuse pullers are tested and marked with 1000V double triangles for your peace of mind.

PN _____ DESC _____
PFP-0.....4-1/2" Fuse Puller (without Guards)
PFP-0G...7-1/4" Fuse Puller with Guards
PFP-1.....7-1/2" Fuse Puller (without Guards)
PFP-2G...7-1/2" Fuse Puller with Guards
PFP-3.....11-3/4" Fuse Puller (without Guards)



Tweezers



- | PN | DESC |
|-------------|------------------------|
| TZ5NT..... | 5" Needle Tip |
| TZ5WT..... | 5" Wide Tip |
| TZ6NT..... | 6" Narrow Tip |
| TZ6NT45.. | 6" Bent Nose |
| TZ6-SNT... | 6" Straight Narrow Tip |
| CPT-CP..... | 6-7/8" Curved |
| CPT-RP..... | 6" Round Point |
| CPT-SP..... | 7" Straight |

Knives



- | PN | DESC |
|-------------|------------------------------|
| IEK10..... | Electrician's Knife with Cap |
| IEK20..... | 9" Linesman's Knife |
| CSK-10*.... | 10" Skinning Knife |
- * NOT A VOLTAGE RATED TOOL



Secure-A-Tool Lanyards

Like a fall harness for your tools. For those occasions when an accidental tool drop is not an option. Secure-A-Tool lanyards work in conjunction with equipped hand tools (with Loop); providing a secure leash between you and your tool.



- | PN | DESC |
|---------------|--|
| CPSTL-100.... | 10" Secure-A-Tool Lanyard |
| CPSTL-105.... | 10" Secure-A-Tool Lanyard with Elastic Strap |
| CPSTL-10W... | Lanyard Wrist Strap |

Specialty Tools

RATED
1000 VAC / 1500 VDC

Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts

Meter Popper

PN _____ DESC _____
CMP-10..... 10" Length



Valve Shroud Removal Tool

PN _____ DESC _____
IVSRT-1..... Valve Shroud Remover

*works excellent on DeKa Unigy battery



IVSRT-1

Jumper Wrench

PN _____ DESC _____
JW200.....Jumper Wrench



Seal Breaker

PN _____ DESC _____
SBI-1..... Seal Breaker



Battery Lid Popper

PN _____ DESC _____
CCST6-CG.. Battery Lid Popper



RATED
1000 VAC, 1500 VDC
Tested to 10,000 VAC and Rated for 1,000 VAC when working on or around live parts